

New York Blood Center

MEDICATIONS CONTAINING ASPIRIN AND OTHER ANTI-PLATELET DRUGS

Ingestion of aspirin-containing medications or Feldene within 72 hours or antiplatelet drugs, such as Plavix or Ticlid within 14 days of donation should preclude the use of a donor as a source of platelets for a recipient.

4-Way Cold Tablets	Aspirbar	Cope
A.P.C.	Aspireze	Coralsone modified
ACA CAPs & No. 2	Aspirin (ASA) - all varieties	Cordex
ACD	Aspirjan Jr.	Coricidin - all varieties
Acetabar	Aspirocal	Covangesic
Acetasam	Aspirtab	Cyclopal and Aspirin
Acetidine	Aspivite	Damason-P
Acetyonyl	Aspodyne	Daprisal
Acetycol	Aspidrox	Darvo-Tran
Acuprin	Axotal	Darvon compound 32&65
Adult Analgesic Pain Reliever	Azdone	Darvon w/ASA
*Aggrenox	B-C Powder - all varieties	Darvon-N w/ASA
Aidant - all varieties	BA-C Tablets	Dasikon
Alka Seltzer - all varieties	Baby Love	Dasin
Allylgesic	Back-Quell	Dasprin
Allylgesic w/ergotamine	Ban-O-Pain	Decagesic
Alprine BiTabs	Bayer - all varieties	Decolyn
Aluprin	BC Cold Powder - all varieties	Decotussin
Amsodyne	BiAct cold	Defencin
Amytal w/ASA	Bismuth Subsalicylate (Pepto Bismol)**	Delenar
Anacin - all varieties	Bristamin APC	Demerol w/APC
Anahist	Brogescic	Derfort
Analval	Bufabar	Derfuln
Anexais w/codeine	Buff-A	Dilotab
Anexsis-D	Buff-a-Comp	Dolcin
Anodynos	Buffacetin	Dolene compound 65
Ansmco No. 1&2	Buffadyne - all varieties	Dolor
APAC	Buffaprin	Doloral
Apancad	Buffasal	Dorodol
APC - all varieties	Bufferin - all varieties	Drinscet
Aphodyne	Buffets II	Dristan
Aphophen	Buffex, Buffinol	Drocogesic #3
Arthra-Zepe	Butal Compound	Duopac
Arthritis Pain Formula - all varieties	Butalbital	Duradyne
Arthropan liquid	Butinal	Durageuic
ASA Enseals	Calurin	Easprin
ASA Suppositories	Cama Arthritis Pain Reliever	Ecotrin - all varieties
As-ca-phen	Cama Inlay	Emagrin
Asalco No. 1&2	Capathyn	Empiral
Ascaphen	Captron	Empirin - all varieties
Ascaphen compound	Cardioprin	Emprazil
Ascodeen-30	Cartia	Endolin
Ascriptin - all varieties	Causalin	Enterfilm
Aspadine	Cephalgesic	Epragen
Aspergum	Characol	Epromate
Aspermin	Cirin	Equagesic
Asphac-G	Clistanal	Equazine
Asphencaf	Co-ryd	Excedrin
Asphyte	Codasa	Excedrin Extra Strength
Aspir-C	Codempiral No. 2&3	Fast Relief Pain Formula
Aspir- Lox AD	Codesal No. 1&2	
Aspir- Max IB	Coldate	
Aspir-phen	Colrex	
	Congesprin	

See MCD09-1

*Anti-Platelet Drug with ASA

New York Blood Center

MEDICATIONS CONTAINING ASPIRIN AND OTHER ANTI-PLATELET DRUGS

Ingestion of aspirin-containing medications or Feldene within 72 hours or antiplatelet drugs, such as Plavix or Ticlid within 14 days of donation should preclude the use of a donor as a source of platelets for a recipient.

*Feldene	Nipirin	Roxiprin
Fiorgen	Night Time Effervescent	Rumacol
Fiorinal - all varieties	Norgesic - all varieties	Ryd
Fizrin	Novahistine w/APC	Sal-Aceto
Fornasal	Novrad w/ASA	Salabuff
Galsodyne	Norwich – all varieties	Salatin
Gelpirin	Nuhist w/APC	Saleto
Gelprin	Opacedrin	Salibar Jr.
Gemnisyn	Opasal	Salipral
Genaced	Paadon	Salocol
Genacote	Pabirin	Sarogesic
Gennin	PAC - all varieties	Sedagesic
Genprin	Pain-Aid	Sedalgesic
Gensan	Pain Reliever Tablets	Senaldyne
Gillodyne	Palgesic	Sigmagen
Goody's Extra Strength	Panodynes Analgesic	Sine-Aid
Goody's Headache Powder	PC-65	Sine-Off - all varieties
Halfprin	Pc-Cap	SK-65
Halprin	Pedidyna	Sloprin
Hasacode	Pentagesic	Sodol
Hasamal CT	Pepidyne	Soma Compound
Henasphen	Pepto Bismol	Spirin Buffered
Hepto-M	Percobarb	St. Joseph ASA - all varieties
Histadyl & ASA compound	Percobarb-Demi	Stanback - all varieties
Hydrodyne	Percodan - varieties	Stero-Darvon w/ASA
Hypan	Persistin	Supac
I-PAC	Phac	Suprin
Isollyl	Phenaphen	Synalgos - all varieties
Kryl	Phenaphen w/codeine	Synirin
Liquiprin	Pheneasal	Talwin Compound
Lumasprin w/Hyoscyamus	Pheneaset Improved	Tampogen
Magnaprin	Phenergan compound	Tenol Plus
Magnesium Salicylate	Pheno-Formasal	Tetrex-APC w/Bristamin
Marnal	Phenodyne	Thenylene APC
Margesic	Phensal	*Ticlid
Massurin	Pirseal	Toloxidyne
Medadent	*Plavix	Trancogesic
Medaprin	Precomp	Tri-Pain Caplets
Mepro Aspirin	Prediasl	Triaminicin
Mepro Compound	Presalin	Trigesic
Meprogesic	Prolaire-B	Trinprin
Micranin	Propox 65	Uni - AS Plus
Midrin	Propoxyphene	Uni - Buff
Momentum - all varieties	Propoxyphene Compound	Uni - Tren
Monacet compound	Pyhist Cold	Ursinus Inlay-Tabs
Methocarbamol w/ASA	Pyrasal	Valesin
Multihist & APC	Pyrroxate	Vanquish
My Luck Effervescent	Quiet World	Verin
Nembu-Gesic	Rhinex	Wesprin Buffered
Nembudeine	Rhinocaps	Zactirin
Neogesic	Riona	Zorprin
	Robaxisal - all varieties	

See MCD09-1



MEDICATIONS CONTAINING ASPIRIN AND OTHER ANTI-PLATELET DRUGS

Ingestion of aspirin-containing medications or Feldene within 72 hours or antiplatelet drugs, such as Plavix or Ticlid within 14 days of donation should preclude the use of a donor as a source of platelets for a recipient.

* Non ASA drug that affects platelets